

# **Certificate of Analysis**

### Strain C57BL/6 Mouse Embryonic Stem Cells

Catalog No. MUBES-01001 Lot Number: 100115B01

Cryopreservation Date: 2010-1-15

Passage Number: 20

#### **Viability**

Cells are assayed for viability post-thaw using vital staining assay with trypan blue.

Specification: Cells should exhibit  $\geq 80\%$  viability.

## **Sterility**

Bacterial and Fungal Contamination: Samples are inoculated and cultured on blood agar plate,

thioglycolate broth, tryptocase soy broth and sabouraud dextrose agar.

Specification: No growth must be observed.

Mycoplasma: Samples are tested for mycoplasma contamination using a PCR-based assay and direct

culture.

Specification: Results must be negative.

Endotoxin: Samples are tested for endotoxin contamination with LAL test.

Specification: Results must show a concentration of  $\leq 25$ EU/ml.

#### Karyotype

Cells are analyzed for karyotype by performing  $\geq 20$  metaphase spreads.

Specification: Results must be indicated that the cells possess 40 chromosomes (20 diploid pairs) plus 2 sex chromosomes (X, Y). The profile must match the published profile of Strain C57BL/6 mouse with no gross abnormalities.

#### **Verification of Undifferentiated State**

Cells are analyzed for expression of cell-specific markers after cryopreservation. Cells are immunostained with fluorochrome-conjugated antibodies specific to OCT-4, SSEA-1, Nanog, SSEA-3 and SSEA-4.

Specification: Cells must be shown to remain undifferentiated when cultured on mouse embryonic feeder cells after cryopreservation. Results must indicate that  $\geq 90\%$  of colonies in a plate and  $\geq 90\%$  of cells in each colony are positive for OCT-4, SSEA-1 and Nanog, while ≤5% of colonies in a plate and ≤5% of cells in each colony are positive for SSEA-3 and SSEA-4.



## **Differentiation Potential**

Cells are assayed after cryopreservation for their ability to differentiate into embryoid bodies and express cell-specific markers indicative of the three germ layers.

Specification: Results must indicate positive expression of β3-tubulin or nestin (ectoderm-specific markers), smooth muscle actin (mesoderm-specific marker), and AFP (endoderm-specific marker).

#### **Results:**

All specifications have been met.

Jane Chen QA Manager Mar 30, 2010

Tame Chen